

### Site Applicability

BC Women's Hospital.

### Equipment & Supplies

5 - vials zidovudine 200 mg/20 mL from Prevention of Perinatal HIV transmission Kit (concentration 10mg/mL)

1 - IV bag 500 mL (D5W, NS)

### To make a standard zidovudine concentration: 2 mg/mL

1. Withdraw contents of 5 zidovudine vials (100 mL). [5 x 20mL per vial = 100mL (=1000mg)]
2. Remove 100mL from 500 mL IV bag.
3. Add the 100mL zidovudine to it.

**NOTE:** This solution is stable for 24 hours at room temperature (or 48 hours if refrigerated).

### Dosage of zidovudine during labour:

Loading dose: 2 mg /kg\* infused over 1 hour.

Continuous infusion: 1 mg /kg/ hour\* continuous infusion until umbilical cord clamped.

**Zidovudine Dosing Table: \* Only to be used for standard 2 mg/mL solution**  
Round woman's weight to the nearest 2 kg

Wt (kg)	LOADING DOSE Set pump at this rate FOR FIRST HOUR ONLY (mL/hour)	CONTINUOUS INFUSION Set pump at this rate( <i>after loading dose</i> )(mL/hour)	Wt (kg)	LOADING DOSE Set pump at this rate FOR FIRST HOUR ONLY (mL/hour)	CONTINUOUS INFUSION Set pump at this rate( <i>after loading dose</i> )(mL/hour)
50	50	25	90	90	45
52	52	26	92	92	46
54	54	27	94	94	47
56	56	28	96	96	48
58	58	29	98	98	49
60	60	30	100	100	50
62	62	31	102	102	51
64	64	32	104	104	52
66	66	33	106	106	53
68	68	34	108	108	54
70	70	35	110	110	55
72	72	36	112	112	56
74	74	37	114	114	57
76	76	38	116	116	58
78	78	39	118	118	59
80	80	40	120	120	60
82	82	41	122	122	61
84	84	42	124	124	62
86	86	43	126	126	63
88	88	44	128	128	64

### Developed By

BCW Maternal Newborn Program – Department Head OBGYN

### Version History

DATE	DOCUMENT NUMBER and TITLE	ACTION TAKEN
14-DEC-2021	C-06-13-61768 Intravenous Zidovudine (AZT / Retrovir®) Preparation And Administration	Approved at: Pharmacy, Therapeutics & Nutrition Committee

### Disclaimer

This document is intended for use within BC Children's and BC Women's Hospitals only. Any other use or reliance is at your sole risk. The content does not constitute and is not in substitution of professional medical advice. Provincial Health Services Authority (PHSA) assumes no liability arising from use or reliance on this document. This document is protected by copyright and may only be reprinted in whole or in part with the prior written approval of PHSA.